# AD-A255 512

AD



TECHNICAL REPORT 9208

PROBLEM DEFINITION STUDIES ON POTENTIAL ENVIRONMENTAL POLLUTANTS

VI. PRELIMINARY ASSESSMENT OF ENVIRONMENTAL EFFECTS OF SEVEN SUBSTANCES USED IN PYROTECHNIC COMPOSITIONS AT PINE BLUFF ARSENAL

W. DICKINSON BURROWS, Ph.D., P.E.
JACK C. DACRE, Ph.D.
DAVID R. COGLEY, Ph.D.

NOVEMBER 1979

S ELECTE SEP 0 8 1992 A

U.S. Army Toxic and Hazardous Materials Agency Aberdeen Proving Ground, MD 21010-5401

U S ARMY BIOMEDICAL RESEARCH & DEVELOPMENT LABORATORY

Fort Detrick

Frederick, MD 21702-5010

Approved for public release; distribution unlimited.

92 9 05 009

92-24673

U S ARMY MEDICAL RESEARCH & DEVELOPMENT COMMAND Fort Detrick Prederick, MD 21702-5012



## NOTICE

### Disclaimer

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents. Citations of commercial organizations or trade names in this report do not constitute an official Department of the Army endorsement or approval of the products or services of these organizations.

## Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.

REPORT DOCUMENTATION PAGE  Form Approved OMB NO. 0704-01					Form Approved	
			DOCUMENTATIO	N PAGE		OMB No. 0704-0188
1a. REPORT S Unclassif	ECURITY CLAS	SIFICATION		16 RESTRICTIVE MARKINGS		
20. SECURITY	CLASSIFICATIO	N AUTHORITY		3 DISTRIBUTION/AVAILABIL		<b>.</b>
2b DECLASSI	FICATION / DOV	NNGRADING SCHED	11 <b>6</b>	Approved for publi		;
10: 00:00:33		WING JCHED	JCE	distribution unlim	nited.	
4. PERFORMIN	NG ORGANIZA	TION REPORT NUMB	ER(S)	5. MONITORING ORGANIZATION REPORT NUMBER(S)		
Technical	Report N	umber 9208				
		ORGANIZATION	66. OFFICE SYMBOL	78. NAME OF MONITORING	ORGANIZATION	
		al Research	(If applicable)			
	opment La		SGRD-UBG-O		1.7.0	
Fort Detr	(City, State, an	RO ZIP CODE)		7b. ADDRESS (City, State, an	d ZIP Code)	
	, MD 217	02-5010				
8a. NAME OF	FUNDING/SPO	ONSORING	Bb. OFFICE SYMBOL	9. PROCUREMENT INSTRUME	NT IDENTIFICA	TION NUMBER
ORGANIZA	ATION		(If applicable)			
SC ADDRESS (	City, State, and	d ZIP Code)	<del></del>	10. SOURCE OF FUNDING NU	IMBERS	
				PROGRAM PROJECT	TASK	00 WORK UNIT
				SA762720A NO IR, F	RON NO.	ACCESSION NO.
				835 4866082	2801 F40G	048
11. TITLE (Incl	•	•	atantial Fautra	mental Pollutants. V	II Prolim	inary Accomment
				mental rollutants. Vied in Pyrotechnic Co		
12. PERSONAL		Trects of Sev	en Substances os	ied In Tyrocecinic oc	ошрозістоп:	3 de 11ne 51uil nu
W.D. Burr	ows, J.C.	Dacre, D.R.	Cogley			
13a. TYPE OF	REPORT	136 TIME C		14 DATE OF REPORT (Year, M	lonth, Day)	PAGÉ COUNT
Technical		FROM Ja	n 76 to May 78	Oct 1979		12
16. SUPPLEME	NTARY NOTA	NON				
17.	COSATI	CODES	I IR CLIPIECT TERMS	Continue on reverse if necessar	or and identify	hy block gumber)
FIELD	GROUP	SUB-GROUP	4	-Methylaminoanthraqu	-	
24	03	300 011301		lamino-2,3-dihydroar		
24	07			,4-Di-p-toluidinoant		
19. ABSTRACT	(Continue on	reverse if necessary	and identify by block n	umber)		
				are used to estimate		
by pyrote	chnic and	smoke chemic	als at Pine Blui	f Arsenal, AR, durin	ng this il-	-year period.
ı						
				•		
		LITY OF ABSTRACT		21. ABSTRACT SECURITY CLA	SSIFICATION	
		ED SAME AS	RPT DTIC USERS			
228, NAME OF				226 TELEPHONE (Include Area		
W. DICKINSON BURROWS				(301) 619-2446	J SGRI	D-UBG-O

DD Form 1473, JUN 86

Previous editions are obsolete.

SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED

## TABLE OF CONTENTS

5
6
7
9
11
11
11
6
7
8
8
9
9
10

Accesion For			
NTIS CRASI V DTIC TAB 12 Unamodified 12 Justification			
By			
Availar on Cores			
Dist	Avail Sp:	indiger and	
A-1			

## **PREFACE**

The body of this technical report is essentially a verbatim reissue of Memorandum Report 28-79, dated 27 November 1979. It is reproduced here to make it available to general readers through the Defense Technical Information Center. David R. Cogley was retained under U.S. Army Medical Research and Development Command contract DAMD17-77-C-7050, Walden Division of Abcor, Inc., Wilmington, MA.

#### INTRODUCTION

The U.S. Army Toxic and Hazardous Materials Agency, formerly the Office of the Project Manager for Chemical Demilitarization and Installation Restoration, has identified an initial list of substances (Table 1) requiring assessment because of their historical presence at Pine Bluff Arsenal (PBA), Arkansas and their potential presence outside the boundaries of the arsenal. Prior to initiating this problem definition study, careful consideration was given to each substance and a revised list (Table 1) was developed.

TABLE 1. INITIAL AND REVISED LISTS OF POLLUTANTS AT PINE BLUFF ARSENAL

Substance	Initial list	Revised list	
DDT	x		
Thiodiglycol	X		
Phosphorus (white)	X		
Auramine	X	X	
Benzanthrone	X	X	
1,4-Di-p-toluidinoanthraquinone	X	X	
1,4-Diamino-2,3-dihydroanthraquinone	X	X	
1-Methylaminoanthraquinone	X	X	
Vat Yellow 4		X	
Hexachloroethane		X	

DDT, for which there is an abundance of data in the published literature, is the subject of an ongoing restoration program and is considered to be a separate problem; therefore, DDT and its analogs are treated in a separate report. Thiodiglycol and white phosphorus have already been assessed in technical reports of the U.S. Army Medical Bioengineering Research and Development Laboratory (USAMBRDL)<sup>3-6</sup>. From information obtained during a site visit to PBA, two substances, Vat Yellow 4 and hexachloroethane (a component of white smoke) were added to the revised list. It has been learned that Vat Yellow 4 was substituted for auramine hydrochloride in yellow smoke grenades in 1961.

The objective of the present report is to summarize available data on the environmental effects of the seven substances in the revised list at PBA. Physical, chemical, toxicological, and biological data for these substances are presented in a separate USAMBRDL technical report. A detailed description of PBA and its watershed, history of contamination, sampling efforts, chemical analysis data, and stream survey data are presented in a technical report of the Chemical Systems Laboratory. 10

#### UTILIZATION OF PYROTECHNIC SUBSTANCES AT PINE BLUFF ARSENAL

Most of the pyrotechnic materials have been used to produce smoke grenades. A typical grenade contains 330 g of grenade mix, composed of 40% dye mix, 25% each sodium bicarbonate and potassium chlorate, and 10% sulfur. A single production line at PBA is capable of producing 8,000 grenades per day. The regular practice has been to operate a single line at capacity until the required number of grenades of a particular smoke color is produced.

Procurement data for pyrotechnic materials for an 11 year period through 1975 are presented in Table 2. [No prior year data are available.] These materials are purchased mainly as mixes, the compositions of which are given in Table 3. Table 4 gives the minimum chemical requirements for dyes used in preparing dye mixes. Table 5 lists yearly shipments of dyestuff on a 100% pure basis, estimated from the data of Tables 2, 3 and 4. It will be noted that unknown constituents make up a significant fraction of these materials. Military specifications provide no clue to the identity of unknown constituents, but it may be surmised that they are organic impurities closely related to the specified dyes and/or diluents, such as starch. Table 6 provides procurement data for hexachloroethane.

TABLE 2. PYROTECHNIC MATERIALS RECEIVED BY PBA, 1965-75a

Year	Shipment, 1000 lb					
	Benzanthrone <sup>b</sup>	Red mix	Yellow dye	Yellow mix	Green mix	Violet mia
1965	13.7	19.1	7.1	••	34.8	33.8
1966	10.8	449.9	81.8		108.0	102.8
1967	137.2	125.0		229.2	462.8	
1968		78.4		265.6	114.8	
1969	2.5	24.0	2.0			
1970		103.0	38.0	81.5	15.0	47.0
1971		115.0	80.3	25.0	99.7	90.2
1972		38.5		111.8	45.8	73.0
1973		35.0		40.0	40.0	32.9
1974				77.5	••	
1975		19.9		15.2	46.1	

a. Ref.11; b. Technical grade.

TABLE 3. ESTIMATED PERCENT COMPOSITION OF DYE MIXES

Mix	Composition.percent					
	Benzanthrone	Red dye	Yellow dye		Violet dye	Dextrin
Red		85		••		15
Yellow <sup>a</sup>	65		35			
Red Yellow <sup>a</sup> Green <sup>a</sup>	20		10	70		
Violet	••	20			80	

a. Mil.Spec. not given.

TABLE 4. COMPOSITION OF PYROTECHNIC AGENTS

Agent	Major component	Percent	Other	Percent
Benzanthrone	Benzanthrone	77	Hydrocarbon oil	2
Red Dye	Disperse Red 9ª	90		
Yellow Dye	Vat Yellow 4 <sup>b</sup>	80		
Green Dye	Solvent Green 3 <sup>C</sup>	90		
Violet Dye	1,4-diamino-2,3- dihydroanthraquinon	e 70		

<sup>a. 1-Methylaminoanthraquinone;
b. Dibenzo[b,def]chrysene-7,14-dione;
c. 1,4-Di-p-toluidinoanthraquinone.</sup> 

TABLE 5. PYROTECHNIC DYES RECEIVED BY PBA, 100% BASISa

Year	Dye Shipments, 1000 lb (pure)					
	Benzanthrone	Red <sup>b</sup>	Yellow <sup>C</sup>	Green <sup>d</sup>	Violet <sup>e</sup>	
1965	15.9	20.6	8.5	22.0	18.9	
1966	25.0	362.6	74.1	68.0	57.5	
1967	291.7	95.6	101.2	291.5	0	
1968	150.6	60.0	83.5	72.3	0	
1969	1.9	18.3	1.6	0	0	
1970	43.1	87.3	54.5	9.4	26.3	
1971	27.9	104.3	79.7	62.8	50.5	
1972	63.0	42.6	35.0	28.9	40.9	
1973	26.2	32.7	14.4	25.2	18.4	
1974	38.8	0	21.7	0	0	
1975	14.7	15.2	8.0	29.0	Ö	
11-yr. av.	63.5	76.3	43.8	35.4	19.3	

a. Derived from Tables 2-4; b. 1-Methylaminoanthraquinone; c. Vat Yellow 4;

TABLE 6. HEXACHLOROETHANE SHIPMENTS RECEIVED BY PBA, LBa

1966	572,000
1967	629,000
1972	128,000
1973	160,000
1975	137,000
1976	662,000

a. Ref. 11.

#### WASTE AND WASTEWATER CONSIDERATIONS

Water is used in the production of grenades for dust suppression, fire protection, and periodic cleanup. During a site visit by USAMBRDL personnel, PBA personnel estimated that roughly 50 lb of grenade mix, or about 1 percent of the total, was carried off each day in the waste stream. The water is carried from the production area in shallow ditches which drain into a low area, eventually discharging into the Arkansas River. Since the dyes are essentially insoluble in water, most of the transport is mechanical. Some build-up of dyes in the vicinity of the production facility is avident. In a nearby test facility, 40 or more grenades are ignited each day during production. In March 1976 the test facility, an open basement, was about half filled with empty canisters, but there was no apparent build-up of dyes on

d. 1,4-Diamino-2,3-dihydroanthraquinone; e. 1,4-Diamino-2,3-dihydroanthraquinone.

structures, vegetation, or soil in the immediate vicinity. It is not known whether this facility is a significant source of contamination.

For estimation of potential soil contamination, it is assumed that all dye substances delivered to PBA were used in manufacture of smoke grenades during the interval 1965 to 1975. Table 7 presents estimated pyrotechnic wastes for this 11 year period which, since it includes the Vietnam war era, probably accounts for almost all of the contamination from pyrotechnics over the past 25 years. It should be noted that Table 7 does not account for starter mix, a solution containing sulfur, cornstarch, and potassium chlorate, which is added at a late step in grenade production.

TABLE 7. TOTAL AND ESTIMATED WASTE PYROTECHNIC CHEMICALS AT PBA, 1965-75

Chemical <sup>a</sup>	Consumption, b 1b	Waste, <sup>C</sup> 1b	
Benzanthrone, pure	699,000	7,000	
Red dye, pure	839,000	8,400	
Yellow dye, pure	482,000	4,800	
Green dye, pure	609.000	6,100	
Violet dye, pure	212,000	2,100	
Sodium bicartonate	2.234.000	22.300	
Potassium chlorate	2,234,000	22,300	
Sulfur	893,000	8,900	
Dextrin	151.000	1,500	
011	18,000	180	
Unknown	563,000	5,600	

a. Calculations are based on pure chemicals; b. Grenade composition assumed to be 40 percent dye mix, 25 percent each sodium bicarbonate and potassium chlorate and 10 percent sulfur (starter mix is not included); c. 1 percent of total mix is assumed wasted.

Since little is known concerning the biodegradability, environmental chemistry, or soil translocation of the pyrotechnic dyestuffs, it is not productive to speculate on the fate of these materials. The non-dye constituents, though not intentionally addressed in this study, are readily accounted for. Sodium bicarbonate would disappear into the immense environmental carbonate pool; potassium chlorate retains its phytotoxicity for several years when applied to land for weed control but otherwise presents little environmental hazard; sulfur, essentially harmless in itself, slowly degrades chemically and biochemically to contoxic products; dextrin (a starch derivative used in foods and pharmaceuticals) and oil are readily degradable. Unknown materials constitute about 6 percent of the total wastes.

#### SAMPLING RESULTS

Bender et al. report that in May, 1977, 10 sediment samples were obtained from each of 22 sites at PBA. Samples from sites known to be potentially contaminated with dyes were chemically analyzed for four dyes. Detection limits were: red dye, 6.4 ppm; yellow dye, 11.0 ppm; green dye, 15.0 ppm; and benzanthrone, 12.0 ppm. Dyes were not detected at the stated levels in the samples analyzed. It should be noted, however, that the pyrotechnic dyes may be readily converted to other colored compounds or leuco (colorless) dyes which may present greater toxic hazards and would not have been detected. For example, 1,4-diamino-2,3-dihydroanthraquinone (violet dye) is only weakly mutagenic, while two potential environmental transformation products, 1,4-diaminoanthraquinone and 1,4-dihydroxyanthraquinone are strongly mutagenic by the Ames test.

#### CONCLUSION

There is, at present, no evidence for a negative impact of dyes on the PBA environment or the ecology of PBA. Sampling and chemical analysis have demonstrated that if the dyes are present, they are present at concentrations below approximately 10 ppm. Though not discussed in this context, the data of Bender et al. tend to indicate that species diversity is high (i.e., ecological impacts are low) in areas possibly contaminated by dyes. Though the data available to the authors do not indicate any serious impacts of dyes on the wildlife populations studied, it may not be concluded that serious food-chain associated impacts to humans are necessarily absent.

#### REFERENCES

- 1. Letter, AMCPM1-DRR, 1 Dec 75, subject: Installation Restoration Directed Actions.
- 2. Burrows, W.D., D.R. Cogley, W.G. Light, J.C. Dacre, and G. Woodard. 1979. "Problem definition studies on potential environmental pollutants. VII. Physical, chemical, toxicological, and biological properties of DDT and its derivatives." Technical Report 7906, AD A094236. U.S. Army Medical Bioengineering Research and Development Laboratory, Fort Detrick, Frederick, MD.
- 3. Rosenblatt, D.H., T.A. Miller, J.C. Dacre, I. Muul, and D.R. Cogley. 1975. "Problem definition studies on potential environmental pollutants: I. Toxicology and ecological Hazards of 16 substances at Rocky Mountain Arsenal." Technical Report 7508, AD 8039661. U.S. Army Medical Bioengineering Research and Development Laboratory, Fort Detrick, Frederick, MD.
- 4. Rosenblatt, D.H., T.A. Miller, J.C. Dacre, I. Muul and D.R. Cogley. 1975. "Problem definition studies on potential environmental pollutants: II. Physical, chemical, toxicological, and biological properties of 16 substances." Technical Report 7509, AD A030428. U.S. Army Medical Bioengineering Research and Development Laboratory, Fort Detrick, Frederick, MD.

- 5. Rosenblatt, D.H., M.J. Small, and J.J. Barkley, Jr. 1973. "Munitions production products of potential concern as waterborne pollutants -- phase I." Technical Report 7307, AD 912752. U.S. Army Medical Environmental Engineering Research Unit, Edgewood Arsenal, MD.
- 6. Dacre, J.C. and D.H. Rosenblatt. 1974. "Mammalian toxicology and toxicity to aquatic organisms of four important types of waterborne munitions pollutants an Extensive literature evaluation." Technical Report 7403, AD 778725. U.S. Army Medical Bioenginesring Research and Development Laboratory, Aberdeen Proving Ground, MD.
- 7. Dacre, J.C., "Report of visit, Pine Bluff Arsenal, 11-12 March 1976" (April 1976).
- 8. Letter, SAREA-DM, 14 Oct 76, subject: Installation Restoration Directed Actions.
- 9. Dacre, J.C., W.D. Burrows, C.W.R. Wade, A.F. Hegyeli, T.A. Miller, and D.R. Cogley. 1979. "Problem definition studies on potential environmental pollutants. V. Physical, chemical, toxicological, and biological properties of seven chemicals Used in pyrotechnic compositions." Technical Report 7704, AD A090631. U.S. Army Medical Bioengineering Research and Development Laboratory, Fort Detrick, Frederick, MD.
- 10. Bender, E.S., P.F. Robinson, A.E. Asaki, R.J. Donald, D.R. Rieder, V.J. Kelmeckis, and L.C. Bates. 1978. "The effects of wastewater emissions and nonpoint discharges on water quality and aquatic macroinvertebrate communities at Pine Bluff Arsenal, Pine Bluff, Arkansas." ARCSL-TR-78062. Chemical Systems Laboratory, Aberdeen Proving Ground, MD.
- 11. Data provided by Army Procurement Office, Edgewood Arsenal, MD, 1976.
- 12. Aikman, L., Pine Bluff Arsenal, personal communication to W.D. Burrows, 11 Mar 1976.
- 13. Brown, J.P., and R.J. Brown. 1976. "Mutagenesis by 9,10-anthraquinone derivatives and related Compounds in <u>Salmonella typhimurium</u>." <u>Mutation</u> Research, 40: 203-224.

#### DISTRIBUTION LIST

No. of Copies	
4	Commander U.S. Army Medical Research and Development Command ATTN: SGRD-RMI-S Fort Detrick Frederick, MD 21702-5912
2	Defense Technical Information Center ATTN: DTIC-FDAC Cameron Station Alexandria, VA 22304-6145
1	Commander U.S. Army Biomedical Research and Development Laboratory ATTN: SGRD-UBZ-P (LTC Weyandt) Fort Detrick Frederick, MD 21702-5010
2	Commander U.S. Army Biomedical Research and Development Laboratory ATTN: SGRD-UBZ-IL Fort Detrick Frederick, MD 21702-5010
1	Commander U.S. Army Environmental Hygiene Ager. y ATTN: HSDH-AD-L Aberdeen Proving Ground, MD 21010-5000
1	U.S. Army Construction Engineering Research Laboratory ATTN: CERL-EN P.O. Box 4005 Champaign, IL 61820-1305
1	Commander U.S. Army Armament Research, Development and Engineering Center ATTN: SMCAR-AES-P Dover, NJ 07801-5001
1	Commander U.S. Army Toxic and Hazardous Materials Agency ATTN: CETHA-TE-D Aberdeen Proving Ground, MD 21010-5401
1	Commander U.S Army Natick Research, Development and Engineering Center ATTN: STRNC-WEB Natick, MA 01760-5019

Commander
U.S. Army Waterways Experiment Center, Corps of Engineers
ATTN: CEWES-GG-F
P.O. Box 631
Vicksburg, MS 39181-5000

Commander
Pine Bluff Arsenal
ATTN: SARPB-ETC
Pine Bluff, AR 71601-5000

Commander
U.S. Army Material Command
ATTN: AMCEN-A
5001 Eisenhower Avenue
Alexandria, VA 22333-2300

Commander
Chemical Research, Development and Engineering Center
ATTN: DRSMC-CLC-A
Aberdeen Proving Ground, MD 21010-5400

Commander
U.S. Army Medical Department Center and School
ATTN: HSMC-FC
Fort Sam Houston, TX 78234-6100